1266 - Joint

Code: 420916-00

one-lamp adjustable support in die-cast aluminium, black. For Ø 60 pole.

GENERAL INFORMATION

Article	1266 - Joint
Code	420916-00

DIMENSIONS AND WEIGHT

Length (mm)	120 mm
Width (mm)	105 mm
Height (mm)	230 mm
Weight (Kg)	0.2 kg

Please contact the Consulting and Design Centre for any technical information. The reported luminous flux is the flux emitted by the light source with a tolerance of ± 10% compared to the indicated value. The total wattage absorbed by the system will not exceed 10% of the reported value. Technical lighting data may be subject to changes and improvements due to the fast evolution of the technology. Monday, July 20, 2026

1266 - Joint

Code: 420916-00

Please contact the Consulting and Design Centre for any technical information. The reported luminous flux is the flux emitted by the light source with a tolerance of ± 10% compared to the indicated value. The total wattage absorbed by the system will not exceed 10% of the reported value. Technical lighting data may be subject to changes and improvements due to the fast evolution of the technology. Monday, July 20, 2026

1266 - Joint

Code: 420916-00



DOWNLOAD

DESIGNS

TechnicalDrawing acc1266.dxf

MATERIALS AND COLOURS

Housing	one-lamp adjustable support in die-cast aluminium, black. For Ø 60 pole.
Pole connection	//
Colour	Grey

WARRANTY

After sales warranty	0 yr

Please contact the Consulting and Design Centre for any technical information. The reported luminous flux is the flux emitted by the light source with a tolerance of ± 10% compared to the indicated value. The total wattage absorbed by the system will not exceed 10% of the reported value. Technical lighting data may be subject to changes and improvements due to the fast evolution of the technology. Monday, July 20, 2026